IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Daniel Perreault et al.

Confirmation No. 4121

Patent No.:

7,491,213

Issued: February 17, 2009

Serial No.:

10/757,683

Filed: January 13, 2004

Docket No.:

1001.1723101

Customer No.: 28075

For:

CATHETER SHAFT HAVING DISTAL SUPPORT

Attention Certificate of Correction Branch

Commissioner for Patents

PO Box 1450

Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 CFR 1.322(a))

CERTIFICATE FOR ELECTRONIC TRANSMISSION:

The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the U.S.

Patent and Trademark Office on this 27th day of April 2009.

By Kathleen L. Boekley

Kathleen L. Boekley

Sir:

Attached is Form PTO/SB/44 being suitable for printing. The exact page and line number where the errors are shown correctly in the application file are:

Originally filed specification: lines 9-10 of page 5; and line 2 of page 8.

Please send the Certificate to Customer No. 28075

Respectfully submitted,

Daniel Perreault et al.

By his Attorney,

Dated: April 27, 2009

/david m. crompton/

David M. Crompton, Reg. No. 36,772 CROMPTON, SEAGER & TUFTE, LLC

1221 Nicollet Avenue, Suite 800 Minneapolis, MN 55403-2420 Telephone: (612) 677-9050

Facsimile:

(612) 677-9050 (612) 359-9349

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION	
	Page <u>1</u> of <u>1</u>
PATENT NO. : 7,491,213	
APPLICATION NO.: 10/757,683	
ISSUE DATE : February 17, 2009	
INVENTOR(S) : Daniel Perreault; Douglas A. Devens, Jr.	
It is certified that an error appears or errors appear in the above-identified patent and the is hereby corrected as shown below:	at said Letters Patent
Column 3 Line 19: after tubular and before member, delete "lo".	
Column 4 Line 37: delete "210" and insert therefor 210	

MAILING ADDRESS OF SENDER (Please do not use customer number below):

CROMPTON, SEAGER & TUFTE, LLC 1221 Nicollet Avenue, Suite 800 Minneapolis, MN 55403-2420

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.